

Catalog

Rubber tiles



Price offer of rubber products of company SAPEKOR s.r.o.
with the use of the following areas:



CHILDREN PLAYGROUND

Rubber tiles for children playgrounds are a very safe and low-maintenance way to build or renovate playgrounds. All products in this category are tested by TUV SUD and fulfill the EN 1177 standards and come with critical fall height certification.

3



SPORT FIELDS

Rubber tiles designed for sport fields are made out of frost-resistant non-slip material and have been usually pressed harder to further the ball bounces. These features enable you to build up a high quality sport field, easily and quickly.

5



TERRACES AND BALCONIES

Rubber tiles for terraces, balconies, gardens, and around swimming pools can be used as a suitable alternative to conventional concrete pavements. The surface of the rubber tiles are frost-resistant, low-maintenance. Furthermore the installation of the rubber tiles is very simple.

6



RUBBER TILES WITH ARTIFICIAL GRASS

The novelty in our assortment is rubber tiles with artificial grass. We offer rubber tiles in the shape of squares and puzzles, we can produce different thickness according to the customer's request. Suitable for interior and exterior. Ideal solution not only for terraces or balconies.

7



FITNESS

Rubber tiles for fitness centres and gyms have an excellent damping and sound absorbing property. Because of these properties, you can place heavy weights on them. In addition to that you can reduce the burden on your knees during sports.

8



FOR HORSES

Rubber tiles for horses are designed to provide the greatest comfort to the horse itself, and its owner too. Due to their properties, they reduce dust, the formation of mould, and serve as a heat-insulating ground. Rubber tiles for horses are an ideal choice for stalls and walkways.

9



SHOOTING RANGE

Rubber tiles are the right solution for the shooting range too – it seals the entire area and at the same time dampens and captures bullets, helping to prevent dangerous reflections from the walls and floors. We will help you to find the best solution for your realization.

7



GAMES AND ACCESSORIES OF RUBBER GRANULATE


We also offer other products from recycled rubber granulate like curbs, palisades and tiles with a drive edge for easy access to children's and sports fields. We offer rubber paving with pictures and numbers, hopscotch game, or other popular games like Rubber-Twist etc. too.

13

RUBBER TILES FOR CHILDREN PLAYGROUND

RUBBER TILES - SQUARE SHAPE

Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
500x500x30	1.0 m	SBR	black	23.00 kg/m ²	D-SBR30-DH-001-12
			red		D-SBR30-DH-002-12
			green		D-SBR30-DH-003-12
			grey		D-SBR30-DH-004-12
	1.0 m	SBR/EPDM	red EPDM RAL3016*	24.50 kg/m ²	D-EPDM30-DH-RAL3016-12
			green EPDM RAL6011*		D-EPDM30-DH-RAL6011-12
500x500x35	1.1 m	SBR	black	24.50 kg/m ²	D-SBR35-DH-001-12
			red		D-SBR35-DH-002-12
			green		D-SBR35-DH-003-12
			grey		D-SBR35-DH-004-12
	1.1 m	SBR/EPDM	red EPDM RAL3016*	26.00 kg/m ²	D-EPDM35-DH-RAL3016-12
			green EPDM RAL6011*		D-EPDM35-DH-RAL6011-12
500x500x40	1.3 m	SBR	black	30.00 kg/m ²	D-SBR40-DH-001-12
			red		D-SBR40-DH-002-12
			green		D-SBR40-DH-003-12
			grey		D-SBR40-DH-004-12
	1.3 m	SBR/EPDM	red EPDM RAL3016*	31.50 kg/m ²	D-EPDM40-DH-RAL3016-12
			green EPDM RAL6011*		D-EPDM40-DH-RAL6011-12
500x500x45	1.5 m	SBR	black	31.50 kg/m ²	D-SBR45-DH-001-22
			red		D-SBR45-DH-002-22
			green		D-SBR45-DH-003-22
			grey		D-SBR45-DH-004-22
	1.5 m	SBR/EPDM	red EPDM RAL3016*	33.00 kg/m ²	D-EPDM45-DH-RAL3016-22
			green EPDM RAL6011*		D-EPDM45-DH-RAL6011-22
500x500x50	1.6 m	SBR	black	33.00 kg/m ²	D-SBR50-DH-001-22
			red		D-SBR50-DH-002-22
			green		D-SBR50-DH-003-22
			grey		D-SBR50-DH-004-22
	1.6 m	SBR/EPDM	red EPDM RAL3016*	34.50 kg/m ²	D-EPDM50-DH-RAL3016-22
			green EPDM RAL6011*		D-EPDM50-DH-RAL6011-22
500x500x55	1.8 m	SBR	black	37.50 kg/m ²	D-SBR55-DH-001-30
			red		D-SBR55-DH-002-30
			green		D-SBR55-DH-003-30
			grey		D-SBR55-DH-004-30
	1.8 m	SBR/EPDM	red EPDM RAL3016*	39.00 kg/m ²	D-EPDM55-DH-RAL3016-30
			green EPDM RAL6011*		D-EPDM55-DH-RAL6011-30
500x500x75	2.4 m	SBR	black	42.00 kg/m ²	D-SBR75-DH-001-50
			red		D-SBR75-DH-002-50
			green		D-SBR75-DH-003-50
			grey		D-SBR75-DH-004-50
	2.4 m	SBR/EPDM	red EPDM RAL3016*	43.50 kg/m ²	D-EPDM75-DH-RAL3016-50
			green EPDM RAL6011*		D-EPDM75-DH-RAL6011-50
500x500x90	2.7 m	SBR	black	51.50 kg/m ²	D-SBR90-DH-001-65
			red		D-SBR90-DH-002-65
			green		D-SBR90-DH-003-65
			grey		D-SBR90-DH-004-65
	2.7 m	SBR/EPDM	red EPDM RAL3016*	53.00 kg/m ²	D-EPDM90-DH-RAL3016-65
			green EPDM RAL6011*		D-EPDM90-DH-RAL6011-65
500x500x110	3.1 m	SBR	black	53.50 kg/m ²	D-SBR110-DH-001-80
			red		D-SBR110-DH-002-80
			green		D-SBR110-DH-003-80
			grey		D-SBR110-DH-004-80
	3.1 m	SBR/EPDM	red EPDM RAL3016*	55.00 kg/m ²	D-EPDM110-DH-RAL3016-80
			green EPDM RAL6011*		D-EPDM110-DH-RAL6011-80



Colors SBR:



Colors EPDM:



* Other colors of EPDM granules are available based on customers request. The upper layer of products made of EPDM is bonded by standard PUR adhesive. Some colors are more sensitive to UV radiation so we recommend to use UV stable adhesive. More information on demand.



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.



RUBBER TILES FOR CHILDREN PLAYGROUND

RUBBER TILES - PUZZLE SHAPE



Colors SBR:



Colors EPDM:



Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
500x500x35	1.3 m	SBR	black	24.00 kg/m ²	PS-SBR35-DH-001-15
			red		PS-SBR35-DH-002-15
			green		PS-SBR35-DH-003-15
			grey		PS-SBR35-DH-004-15
	1.3 m	SBR/EPDM	red EPDM RAL3016*	25.50 kg/m ²	PS-EPDM35-DH-RAL3016-15
			green EPDM RAL6011*		PS-EPDM35-DH-RAL6011-15
500x500x45	1.5 m	SBR	black	28.00 kg/m ²	PS-SBR45-DH-001-25
			red		PS-SBR45-DH-002-25
			green		PS-SBR45-DH-003-25
			grey		PS-SBR45-DH-004-25
	1.5 m	SBR/EPDM	red EPDM RAL3016*	29.50 kg/m ²	PS-EPDM45-DH-RAL3016-25
			green EPDM RAL6011*		PS-EPDM45-DH-RAL6011-25
500x500x50	1.6 m	SBR	black	30.00 kg/m ²	PS-SBR50-DH-001-25
			red		PS-SBR50-DH-002-25
			green		PS-SBR50-DH-003-25
			grey		PS-SBR50-DH-004-25
	1.7 m	SBR/EPDM	red EPDM RAL3016*	31.50 kg/m ²	PS-EPDM50-DH-RAL3016-25
			green EPDM RAL6011*		PS-EPDM50-DH-RAL6011-25
500x500x70	2.2 m	SBR	black	42.00 kg/m ²	PS-SBR70-DH-001-45
			red		PS-SBR70-DH-002-45
			green		PS-SBR70-DH-003-45
			grey		PS-SBR70-DH-004-45
	2.2 m	SBR/EPDM	red EPDM RAL3016*	43.50 kg/m ²	PS-EPDM70-DH-RAL3016-45
			green EPDM RAL6011*		PS-EPDM70-DH-RAL6011-45

* Other colors of EPDM granules are available based on customers request. The upper layer of products made of EPDM is bonded by standard PUR adhesive. Some colors are more sensitive to UV radiation so we recommend to use UV stable adhesive. More information on demand.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.

Based on customers request we are able to produce corner and side puzzle tiles.



RUBBER TILES WITH FLAMMABILITY CLASS Cf1-s1



New Product in our offer is non-flammable rubber tile which we offer only in EPDM solution. The pavement is certified and available in RAL colors.

RUBBER TILES FOR SPORT FIELDS

RUBBER TILES - SQUARE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x25	SBR	black	21.00 kg/m ²	D-SBR25-SH-001-05
		red		D-SBR25-SH-002-05
		green		D-SBR25-SH-003-05
		grey		D-SBR25-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	22.50 kg/m ²	D-EPDM25-SH-RAL3016-05
		green EPDM RAL6011*		D-EPDM25-SH-RAL6011-05
500x500x40	SBR	black	35.00 kg/m ²	D-SBR40-SH-001-05
		red		D-SBR40-SH-002-05
		green		D-SBR40-SH-003-05
		grey		D-SBR40-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	36.50 kg/m ²	D-EPDM40-SH-RAL3016-05
		green EPDM RAL6011*		D-EPDM40-SH-RAL6011-05
500x500x45	SBR	black	37.00 kg/m ²	D-SBR45-SH-001-05
		red		D-SBR45-SH-002-05
		green		D-SBR45-SH-003-05
		grey		D-SBR45-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	38.50 kg/m ²	D-EPDM45-SH-RAL3016-05
		green EPDM RAL6011*		D-EPDM45-SH-RAL6011-05



Colors SBR:



Colors EPDM:



RUBBER TILES - PUZZLE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x25	SBR	black	21.00 kg/m ²	PS-SBR25-SH-001-05
		red		PS-SBR25-SH-002-05
		green		PS-SBR25-SH-003-05
		grey		PS-SBR25-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	22.50 kg/m ²	PS-EPDM25-SH-RAL3016-05
		green EPDM RAL6011*		PS-EPDM25-SH-RAL6011-05
500x500x40	SBR	black	35.00 kg/m ²	PS-SBR40-SH-001-05
		red		PS-SBR40-SH-002-05
		green		PS-SBR40-SH-003-05
		grey		PS-SBR40-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	36.50 kg/m ²	PS-EPDM40-SH-RAL3016-05
		green EPDM RAL6011*		PS-EPDM40-SH-RAL6011-05
500x500x45	SBR	black	37.00 kg/m ²	PS-SBR45-SH-001-05
		red		PS-SBR45-SH-002-05
		green		PS-SBR45-SH-003-05
		grey		PS-SBR45-SH-004-05
	SBR/EPDM	red EPDM RAL 3016*	38.50 kg/m ²	PS-EPDM45-SH-RAL3016-05
		green EPDM RAL6011*		PS-EPDM45-SH-RAL6011-05

* Other colors of EPDM granules are available based on customers request. The upper layer of products made of EPDM is bonded by standard PUR adhesive. Some colors are more sensitive to UV radiation so we recommend to use UV stable adhesive. More information on demand.

Based on customers request we can offer PUR lacquer for making a lines on sport field.



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.

Based on customers request we are able to produce corner and side puzzle tiles.



RUBBER TILES FOR TERRACES AND BALCONIES

RUBBER TILES - SQUARE SHAPE



Colors SBR:



Colors EPDM:



* Other colors of EPDM granules are available based on customers request. The upper layer of products made of EPDM is bonded by standard PUR adhesive. Some colors are more sensitive to UV radiation so we recommend to use UV stable adhesive. More information on demand.



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.

Based on customers request we are able to produce corner and side puzzle tiles.

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x20	SBR	black	16.50 kg/m ²	D-SBR20-SH-001-05
		red		D-SBR20-SH-002-05
		green		D-SBR20-SH-003-05
		grey		D-SBR20-SH-004-05
500x500x25	SBR	black	21.00 kg/m ²	D-SBR25-SH-001-05
		red		D-SBR25-SH-002-05
		green		D-SBR25-SH-003-05
		grey		D-SBR25-SH-004-05
	SBR/EPDM	red EPDM RAL3016*	22.50 kg/m ²	D-EPDM25-SH-RAL3016-05
		green EPDM RAL6011*		D-EPDM25-SH-RAL6011-05
500x500x40	SBR	black	35.00 kg/m ²	D-SBR40-SH-001-05
		red		D-SBR40-SH-002-05
		green		D-SBR40-SH-003-05
		grey		D-SBR40-SH-004-05
	SBR/EPDM	red EPDM RAL3016*	36.50 kg/m ²	D-EPDM40-SH-RAL3016-05
		green EPDM RAL6011*		D-EPDM40-SH-RAL6011-05

RUBBER TILES - PUZZLE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x20	SBR	black	16.50 kg/m ²	PS-SBR20-SH-001-05
		red		PS-SBR20-SH-002-05
		green		PS-SBR20-SH-003-05
		grey		PS-SBR20-SH-004-05
500x500x25	SBR	black	21.00 kg/m ²	PS-SBR25-SH-001-05
		red		PS-SBR25-SH-002-05
		green		PS-SBR25-SH-003-05
		grey		PS-SBR25-SH-004-05
	SBR/EPDM	red EPDM RAL3016*	22.50 kg/m ²	PS-EPDM25-SH-RAL3016-05
		green EPDM RAL6011*		PS-EPDM25-SH-RAL6011-05
500x500x40	SBR	black	35.00 kg/m ²	PS-SBR40-SH-001-05
		red		PS-SBR40-SH-002-05
		green		PS-SBR40-SH-003-05
		grey		PS-SBR40-SH-004-05
	SBR/EPDM	red EPDM RAL3016*	36.50 kg/m ²	PS-EPDM40-SH-RAL3016-05
		green EPDM RAL6011*		PS-EPDM40-SH-RAL6011-05



RUBBER TILES WITH ARTIFICIAL GRASS

RUBBER TILES - SQUARE SHAPE

Dimensions (mm)	Material	Color	Weight	Product code
500x500x30	SBR + artificial grass	green	17.00 kg/m ²	D-SBR22-TR2-001-05

RUBBER TILES - PUZZLE SHAPE

Dimensions (mm)	Material	Color	Weight	Product code
500x500x30	SBR + artificial grass	green	18.00 kg/m ²	PS-SBR22-TR2-001-05




At customer's request, we are able to produce rubber flooring with artificial grass in a different thickness.

RUBBER TILES FOR SHOOTING RANGE

RUBBER TILES TO PREVENT BULLET REFLECTIONS

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x43	SBR	black	40.00 kg/m ²	D-SBR43-ST-001-05
		red		D-SBR43-ST-002-05
		green		D-SBR43-ST-003-05
		grey		D-SBR43-ST-004-05
500x500x50	SBR	black	48.00 kg/m ²	D-SBR50-ST-001-05
		red		D-SBR50-ST-002-05
		green		D-SBR50-ST-003-05
		grey		D-SBR50-ST-004-05
1000x500x43	SBR	black	40.00 kg/m ²	D-SBR43-ST1-001-05
		red		D-SBR43-ST1-002-05
		green		D-SBR43-ST1-003-05
		grey		D-SBR43-ST1-004-05
1000x500x50	SBR	black	48.00 kg/m ²	D-SBR50-ST1-001-05
		red		D-SBR50-ST1-002-05
		green		D-SBR50-ST1-003-05
		grey		D-SBR50-ST1-004-05
600x700x43	SBR	black	40.00 kg/m ²	D-SBR43-ST2-001-05
		red		D-SBR43-ST2-002-05
		green		D-SBR43-ST2-003-05
		grey		D-SBR43-ST2-004-05
600x700x50	SBR	black	48.00 kg/m ²	D-SBR50-ST2-001-05
		red		D-SBR50-ST2-002-05
		green		D-SBR50-ST2-003-05
		grey		D-SBR50-ST2-004-05
600x750x43	SBR	black	40.00 kg/m ²	D-SBR43-ST3-001-05
		red		D-SBR43-ST3-002-05
		green		D-SBR43-ST3-003-05
		grey		D-SBR43-ST3-004-05
600x750x50	SBR	black	48.00 kg/m ²	D-SBR50-ST3-001-05
		red		D-SBR50-ST3-002-05
		green		D-SBR50-ST3-003-05
		grey		D-SBR50-ST3-004-05




Colors SBR:



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.





Colors SBR:



Colors EPDM:



Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x20	SBR	black	16.50 kg/m ²	D-SBR20-F-001-05
		red		D-SBR20-F-002-05
		green		D-SBR20-F-003-05
		grey		D-SBR20-F-004-05
	SBR with EPDM MIX	based on RAL scale	17.50 kg/m ²	D-SBRMIX20-F-RALxxxx-05
500x500x25	SBR	black	21.00 kg/m ²	D-SBR25-F-001-05
		red		D-SBR25-F-002-05
		green		D-SBR25-F-003-05
		grey		D-SBR25-F-004-05
	SBR/EPDM	red EPDM RAL3016*	22.50 kg/m ²	D-EPDM25-F-RAL3016-05
		green EPDM RAL6011*		D-EPDM25-F-RAL6011-05
	SBR with EPDM MIX	based on RAL scale	22.50 kg/m ²	D-SBRMIX25-F-RALxxxx-05
500x500x45	SBR	black	37.00 kg/m ²	D-SBR45-F-001-05
		red		D-SBR45-F-002-05
		green		D-SBR45-F-003-05
		grey		D-SBR45-F-004-05
	SBR/EPDM	red EPDM RAL3016*	38.50 kg/m ²	D-EPDM45-F-RAL3016-05
		green EPDM RAL6011*		D-EPDM45-F-RAL6011-05
	SBR with EPDM MIX	based on RAL scale	38.50 kg/m ²	D-SBRMIX45-F-RALxxxx-05

RUBBER TILES - PUZZLE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x20	SBR	black	16.50 kg/m ²	PS-SBR20-F-001-05
		red		PS-SBR20-F-002-05
		green		PS-SBR20-F-003-05
		grey		PS-SBR20-F-004-05
	SBR with EPDM MIX	based on RAL scale	17.50 kg/m ²	PS-SBRMIX20-F-RALxxxx-05
500x500x25	SBR	black	21.00 kg/m ²	PS-SBR25-F-001-05
		red		PS-SBR25-F-002-05
		green		PS-SBR25-F-003-05
		grey		PS-SBR25-F-004-05
	SBR/EPDM	red EPDM RAL3016*	22.50 kg/m ²	PS-EPDM25-F-RAL3016-05
		green EPDM RAL6011*		PS-EPDM25-F-RAL6011-05
	SBR with EPDM MIX	based on RAL scale	22.50 kg/m ²	PS-SBRMIX25-F-RALxxxx-05
500x500x45	SBR	black	37.00 kg/m ²	PS-SBR45-F-001-05
		red		PS-SBR45-F-002-05
		green		PS-SBR45-F-003-05
		grey		PS-SBR45-F-004-05
	SBR/EPDM	red EPDM RAL3016*	38.50 kg/m ²	PS-EPDM45-F-RAL3016-05
		green EPDM RAL6011*		PS-EPDM45-F-RAL6011-05
	SBR with EPDM MIX	based on RAL scale	38.50 kg/m ²	PS-SBRMIX45-F-RALxxxx-05

* Other colors of EPDM granules are available based on customers request. The upper layer of products made of EPDM is bonded by standard PUR adhesive. Some colors are more sensitive to UV radiation so we recommend to use UV stable adhesive. More information on demand.



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.


Based on customers request we are able to produce corner and side puzzle tiles.



RUBBER TILES FOR HORSES

RUBBER TILES - SQUARE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x25	SBR	black	23.50 kg/m ²	D-SBR25-K-001-05
		red		D-SBR25-K-002-05
		green		D-SBR25-K-003-05
500x500x45	SBR	black	39.00 kg/m ²	D-SBR45-K-001-05
		red		D-SBR45-K-002-05
		green		D-SBR45-K-003-05



RUBBER TILES - PUZZLE SHAPE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x25	SBR	black	23.50 kg/m ²	PS-SBR25-K-001-05
		red		PS-SBR25-K-002-05
		green		PS-SBR25-K-003-05
500x500x45	SBR	black	39.00 kg/m ²	PS-SBR45-K-001-05
		red		PS-SBR45-K-002-05
		green		PS-SBR45-K-003-05


Colors SBR:



Based on customers request we are able to produce corner and side puzzle tiles.

RUBBER BRICKS


Dimensions (mm)	Material	Color of granulate	Weight	Product code
200x160x43	SBR	black	45.00 kg/m ²	ZD-SBR43-K-001
		red		ZD-SBR43-K-002
		green		ZD-SBR43-K-003



SBR Rubber bricks are very durable and suitable for sportfields and playgrounds, as well as around the family home, and as paving in equestrian venues.²

ADDITIONAL PRODUCTS FROM RUBBER GRANULES

RUBBER BRICKS



Dimensions (mm)	Material	Color of granulate	Weight	Product code
200x160x43	SBR	black	41.00 kg/m ²	ZD-SBR43-SH-001
		red		ZD-SBR43-SH-002
		green		ZD-SBR43-SH-003

SBR Rubber bricks are very durable and suitable for sportfields and playground, as well as around the family houses. 1m² consist of 36 PCS.

Colors SBR:



Colors SBR:



RUBBER PALISADE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
1150x150x400	SBR	black	31.00 kg/pc	PAL-SBR150-001
		red		PAL-SBR150-002
		green		PAL-SBR150-003

Rubber palisades are an alternative to rubber curbs. Use it to border playground areas or sports fields. If you want to create a designer playground, rubber palisades are a ideal choice for you.

RUBBER TILES WITH NUMBERS AND PICTURES



We are able to produce EPDM rubber tiles with the Cfl-S1 flammability class.

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.

For creating a unique playground we are able to produce Rubber tiles with numbers or with pictures based on the clients needs.




ADDITIONAL PRODUCTS FROM RUBBER GRANULES

RUBBER CURBS – CLASSIC CURBS

Dimensions (mm)	Material	Color of granulate	Weight	Product code
1000x250x50	SBR	black	11.50 kg/pc	OB100-SBR50-001
		red		OB100-SBR50-002
		green		OB100-SBR50-003
		grey		OB100-SBR50-004

Classic curbs are available also in EPDM version in size 750x250x50mm.



RUBBER CURBS – CURBS WITH DRIVE EDGE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
750x250x45	SBR	black	7.00 kg/pc	OBNH75-SBR45-001
		red		OBNH75-SBR45-002
		green		OBNH75-SBR45-003
		grey		OBNH75-SBR45-004


The height of edges is 25mm

Curbs with drive edge are available also in EPDM version in size 750x250x45-25mm.

Rubber Curbs / curbs with drive edges serve for the boundary of children's playgrounds and sports field areas. They are flexible with an anti-slip property. This makes them an ideal choice for the boundary of your field.

SIDE DRIVE EDGE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x45	SBR	black	29.50 kg/m ²	DNHB-SBR45-001-05
		red		DNHB-SBR45-002-05
		green		DNHB-SBR45-003-05
		grey		DNHB-SBR45-004-05
	SBR/EPDM	red EPDM RAL 3016*	31.00 kg/m ²	DNHB-EPDM45-RAL3016-05
		green EPDM RAL6011*		DNHB-EPDM45-RAL6011-05
500x500x75	SBR	black	38.00 kg/m ²	DNHB-SBR75-001-05
		red		DNHB-SBR75-002-05
		green		DNHB-SBR75-003-05
		grey		DNHB-SBR75-004-05
	SBR/EPDM	red EPDM RAL 3016*	39.50 kg/m ²	DNHB-EPDM75-RAL3016-05
		green EPDM RAL6011*		DNHB-EPDM75-RAL6011-05



Colors SBR:



Colors EPDM:



CORNER DRIVE EDGE

Dimensions (mm)	Material	Color of granulate	Weight	Product code
500x500x45	SBR	black	27.50 kg/m ²	DNHR-SBR45-001-05
		red		DNHR-SBR45-002-05
		green		DNHR-SBR45-003-05
		grey		DNHR-SBR45-004-05
	SBR/EPDM	red EPDM RAL 3016*	29.00 kg/m ²	DNHR-EPDM45-RAL3016-05
		green EPDM RAL6011*		DNHR-EPDM45-RAL6011-05
500x500x75	SBR	black	36.00 kg/m ²	DNHR-SBR75-001-05
		red		DNHR-SBR75-002-05
		green		DNHR-SBR75-003-05
		grey		DNHR-SBR75-004-05
	SBR/EPDM	red EPDM RAL 3016*	37.50 kg/m ²	DNHR-EPDM75-RAL3016-05
		green EPDM RAL6011*		DNHR-EPDM75-RAL6011-05

EPDM Rubber tiles meets specifications according to the latest PAK (PAH) standard.

The height of edges is 25mm

Rubber tiles with drive edges are an excellent solution for creating the raid on children's playgrounds and sport fields. With the chamfer which is on one side of the plate, respectively on two sides for corner tiles, they provide easy access to the playground for people with disabilities.



For the game „Man Don't Get Angry“ the pavement is laid on the chessboard style, so it must be glued to the basement (subsurface). For an extra charge we offer drilling of additional holes for pins (35 mm or 45 mm thickness only).

For a surcharge we offer a set of figures for the game incl. 4 playing cubes. To the rubber tiles thk. 45mm (Man Don't Get Angry) it is possible to buy curbs with drive edge.



For games CHESS and CHECKERS the pavement is laid on the chessboard style, so it must be glued to the basement (subsurface). For an extra charge we offer drilling of additional holes for pins (35 mm or 45 mm thickness only).

For a surcharge we offer a set of chess pieces.

To the rubber tiles thk. 45mm (CHESS and CHECKERS) it is possible to buy curbs with drive edge.



For game Rubber-Twist the pavement is laid on the chessboard style, so it must be glued to the basement (subsurface). For an extra charge we offer drilling of additional holes for pins (35 mm or 45 mm thickness only).

To the rubber tiles thk. 45mm (Rubber-Twist game) it is possible to buy curbs with drive edge.

GAME SETS FROM RUBBER TILES

MAN DON'T GET ANGRY!

Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
5500x5500x25	---	SBR/EPDM	SBR + EPDM	680.00 kg	CND-SBR/EPDM25-SH-MIX-005
5500x5500x35	1.1 m	SBR/EPDM	SBR + EPDM	788.00 kg	CND-SBR/EPDM35-DH-MIX-012
5500x5500x45	1.5 m	SBR/EPDM	SBR + EPDM	999.00 kg	CND-SBR/EPDM45-DH-MIX-022

The set consists of 30.25 m², ie 121 pcs: 9 × EPDM yellow tile, 9 × EPDM blue tile, 9 × EPDM green tile, 9 × EPDM red tile, 37 × SBR black tile, 48 × EPDM gray tile.

CHESS, CHECKERS SBR/EPDM

Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
4000x4000x25	---	SBR/EPDM	SBR + EPDM	348.00 kg	SDD-SBR/EPDM25-SH-MIX-005
4000x4000x35	1.1 m	SBR/EPDM	SBR + EPDM	404.00 kg	SDD-SBR/EPDM35-DH-MIX-012
4000x4000x45	1.5 m	SBR/EPDM	SBR + EPDM	516.00 kg	SDD-SBR/EPDM45-DH-MIX-022

The set consists of 16 m², ie 64 pieces: 32 × EPDM gray tile, 32 × SBR black tile.

CHESS, CHECKERS EPDM

Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
4000x4000x25	---	SBR/EPDM	EPDM MIX	360.00 kg	SDED-EPDM25-SH-MIXE-005
4000x4000x35	1.1 m	SBR/EPDM	EPDM MIX	416.00 kg	SDED-EPDM35-DH-MIXE-012
4000x4000x45	1.5 m	SBR/EPDM	EPDM MIX	528.00 kg	SDED-EPDM45-DH-MIXE-022

The set consists of 16 m², ie 64 pieces: 32 × EPDM tile yellow or brown, 32 × EPDM tile red or gray.

RUBBER-TWIST

Dimensions (mm)	Fall height EN1177	Material	Color of granulate	Weight	Product code
2000x3000x25	---	SBR/EPDM	SBR + EPDM	135.00 kg	TWD-SBR/EPDM25-SH-MIX-005
2000x3000x35	1.1 m	SBR/EPDM	SBR + EPDM	156.00 kg	TWD-SBR/EPDM35-DH-MIX-012
2000x3000x45	1.5 m	SBR/EPDM	SBR + EPDM	198.00 kg	TWD-SBR/EPDM45-DH-MIX-022

The set consists of 6 m², ie 24 pcs: SBR black tiles with circle picture (6 × EPDM red circle, 6 × EPDM green circle, 6 × EPDM blue circle, 6 × EPDM yellow circle).



EXPLANATION OF THE TERMS

Products from SBR material

- are made of black recycled rubber granules bonded by colored polyurethane binder. SBR products are available in four colors: black, red, green, grey.

Products from EPDM material

- bottom layer is made of recycled black rubber granules and the upper layer is made of colored EPDM granules bonded by colorless polyurethane binder. Products from EPDM materials are available in different colors according to the RAL scale.

Products from SBR material with an addition of EPDM granules

- are made of black recycled rubber granules with an addition of colored EPDM granules.

Montage (construction):

- We recommend that square pavers should **only** be laid in the brickwork bond, i.e. next line pavers by a paver half off the centres of previous line pavers. This bond provides a very compact and homogeneous surface.
- The square-shaped rubber tiles are connected by plastic pins from a 35mm thickness. We recommend a lower thicknesses (25mm, 30mm) or rubber tiles in Puzzle shape to glue by PUR adhesive to the subsurface.
- Rubber tiles have to be install in accordance with producer's installation manual.

Specification:

- The weights and dimensions of the products are indicative due to the use of recycled SBR rubber. See the instruction manual for more information.

Delivery terms:

- EX Works in accordance with Incoterms 2010, the transportation is paid by the purchaser. Transport costs depend on the place of delivery and the size of the order. Delivery times will depend by amount and type of products.

Warranty terms:

- We standardly provide warranty terms for 24 months.



SAPEKOR s.r.o.
ul. Lípová 1128
737 01 Český Těšín
Czech Republic

+420 595 170 141
info@sapekor.com

<http://www.sapekor.com>